


SİPARİŞ KODU ORDER CODE АРТИКУЛ	KOD CODE КОД	AÇIKLAMA DESCRIPTION / НАИМЕНОВАНИЕ	F	LxWxH	kg	Set КОМПЛ.
101-11-11	DELTA11	2 Kapaklı Sürgü Sistem Mekanizması Sliding door mechanism with 2 door Механизм раздвижных дверей, 2 двери (2mt alt üst ray) (2 meter upper lower rail) (верхняя и нижняя направляющие по 2м)	303, 403, 601	29 x 19 x 19	3,900 kg	20





**ÜRÜN ÖZELLİKLER**  
PRODUCT SPECIFICATIONS  
ОСНОВНЫЕ ХАРАКТЕРИСТИКИ ПРОДУКТА

- 18mm 'den 30mm 'ye kadar farklı kapak kalınlıklarına göre ayarlanabilir.
- 20 Kg taşıma kapasitelidir.
- Aynı ray üzerinde tek veya çift kapak uygulanabilir.

- Available from 18mm up to 30mm for different door thickness.
- Carrying capacity is 20 kg
- Available for using one or two doors on the same rail

- Возможность использования дверных панелей от 18 до 30 мм толщиной.
- Системы рассчитаны на двери весом до 20 кг.
- Возможность использования одной или двух дверей на одной направляющей

**DELTA11**

**DELTA 11**

Üst Kılavuz  
Upper guide  
Верхний механизм




Kutuda 4 Ad.  
4 pcs in the box  
В коробке 4 шт.

Alt Makara  
Lower roller  
Нижний ролик



Kutuda 4 Ad.  
4 pcs in the box  
В коробке 4 шт.

Stoplama Plastiği



Kutuda 4 Ad.  
4 pcs in the box  
В коробке 4 шт.

Üst Ray  
Sonlama Plastiği



Kutuda 4 Ad.  
4 pcs in the box  
В коробке 4 шт.

Alt Ray  
Sonlama Plastiği



Kutuda 4 Ad.  
4 pcs in the box  
В коробке 4 шт.

111-51-20



2 Ad. 2 mt.  
2 pcs 2 meter  
2 шт. 2 метра.

AL129BT



2 Ad. 2 mt.  
2 pcs 2 meter  
2 шт. 2 метра.

